















BALL SIZES & APPLICATIONS

MANUFACTURER OF CONSTANT VELOCITY DRIVEAXLE COMPONENTS
1500 11TH AVENUE ROCKFORD, ILLINOIS 61104
PHONE (815) 962-1411 FAX (815) 962-4857

**GENUINE
ROCKFORD
CONSTANT VELOCITY**









**161-1B
to
550-1B**

Balls

<p>161-1B <u>-STANDARD BALL</u> Used in the following cages 161-0</p>  <p>.500 - 1/2"</p>	<p>211-1B <u>-STANDARD BALL</u> Used in the following cages 184-60 199-0 713-0 185-0 211-0 186-0 214-0 194-0 215-0 194-0L 215-0L 195-0 537-0 195-0L 625-0</p>  <p>.6562 - 21/32"</p>
<p>163-1B <u>-STANDARD BALL</u> Used in the following cages 161-60 163-0 182-60 193-0</p>  <p>.594 - 19/32"</p>	<p>212-1B <u>-STANDARD BALL</u> Used in the following cages 196-60 440-60 212-0 713-60 419-60 714-0 440-0 719-0 440-0S 440-0M 440-0L</p>  <p>.7187 - 23/32"</p>
<p>166-1B <u>-STANDARD BALL</u> Used in the following cages 166-0 166-60 178-0 420-60 626-60B 630-0 714-60</p>  <p>.7812 - 25/32"</p>	<p>331-1B <u>-STANDARD BALL</u> Used in the following cages 331-0</p>  <p>.6388 - 16.2MM</p>
<p>178-1B <u>-STANDARD BALL</u> Used in the following cages 178-60B</p>  <p>.8415 - 21.4MM</p>	<p>338-1B <u>-STANDARD BALL</u> Used in the following cages 338-0</p>  <p>.697 - 17.7MM</p>
<p>184-1B <u>-STANDARD BALL</u> Used in the following cages 164-0 619-0 165-0 712-0 183-0 812-60 184-0 813-0 184-0L 914-0 193-60 330-0</p>  <p>.625 - 5/8"</p>	<p>538-1B <u>-STANDARD BALL</u> Used in the following cages 538-0 630-60 716-0</p>  <p>.8435 - 27/32"</p>
<p>191-1B <u>-STANDARD BALL</u> Used in the following cages 191-0 281-0 628-60 816-0 816-0S 816-0M 816-0L</p>  <p>.812 - 13/16"</p>	<p>550-1B <u>-STANDARD BALL</u> Used in the following cages 550-60</p>  <p>.9375 - 23.8MM</p>

**GENUINE
ROCKFORD
CONSTANT VELOCITY**

**615-1B
to
915-1B**

<p>615-1B -STANDARD BALL (Used in the following cages) 181-0 182-0 615-0</p>  <p>.5625 - 9/16"</p>	<p>815-1B -STANDARD BALL (Used in the following cages) 174-0 279-0 712-60A 175-0 320-60 814-60 716-0 335-60A 815-0 189-0 336-0 815-0S 197-0 626-60 815-0M 216-0 627-0 815-0L 216-0L 628-0 915-60</p>  <p>.750 - 3/4"</p>
<p>626-1B -STANDARD BALL (Used in the following cages) 275-0 339-0 534-0 539-0 626-0</p>  <p>.7086 - 18MM</p>	<p>915-1B -STANDARD BALL (Used in the following cages) 187-0 335-0 717-0 188-0 335-0A 813-60 194-60 335-60 915-0 196-0 421-60 915-0S 198-0 536-0 915-0M 213-0 712-60 915-0L 276-0 715-0 944-60</p>  <p>.6875 - 11/16"</p>
<p>700-1B -STANDARD BALL (Used in the following cages) 176-60 808-60 178-60 817-0 220-60 817-0S 275-60 817-0M 281-60 817-0L 336-60 700-0</p>  <p>.875 - 7/8"</p>	
<p>711-1B -STANDARD BALL (Used in the following cages) 711-0 711-0S</p>  <p>.5749 - 14.6MM</p>	
<p>71L-1B -STANDARD BALL (Used in the following cages) 71L-0</p>  <p>.531 - 13.5MM</p>	
<p>804-1B -STANDARD BALL Used in the following cages 745-0 804-60</p>  <p>.7874 - 20MM</p>	

Balls

SPECIALITY BALLS SORTED BY SIZE

**GENUINE
ROCKFORD
CONSTANT VELOCITY**

ROCKFORD BALL BEARING NUMBERS STANDAND SIZE (6 PACK)	ROCKFORD BALL BEARING NUMBERS +.001 OVERSIZED*	ROCKFORD BALL BEARING NUMBERS +.002 OVERSIZED*	ROCKFORD BALL BEARING NUMBERS +.003 OVERSIZED*	ROCKFORD BALL BEARING NUMBERS +.020 OVERSIZED*
161-1 .500	161-101 .501	161-102 .502	N/A	N/A
71L-1 .531	N/A	71L-102 .533	N/A	N/A
615-1 .5625	615-101 .5635	615-102 .5645	615-103 .5655	615-120 .5825
711-1 .5749	N/A	711-102 .5769	711-103 .5779	N/A
163-1 .594	163-101 .595	163-102 .596	163-103 .597	163-120 .614
184-1 .625	184-101 .626	184-102 .627	184-103 .628	184-120 .645
331-1 .6388	N/A	N/A	N/A	N/A
211-1 .6562	211-101 .6572	211-102 .6582	211-103 .6592	211-120 .6762
915-1 .6875	915-101 .6885	915-102 .6895	915-103 .6905	915-120 .7075
338-1 .697	N/A	N/A	N/A	N/A
626-1 .7086	626-101 .7096	626-102 .7106	626-103 .7116	626-120 .7286
212-1 .7187	212-101 .7197	212-102 .7207	212-103 .7217	212-120 .7387
815-1 .750	815-101 .751	815-102 .752	815-103 .753	815-120 .770
166-1 .7812	166-101 .7822	166-102 .7832	166-103 .7842	166-120 .8012
804-1 .7874	N/A	804-102 .7894	N/A	N/A
191-1 .812	191-101 .813	191-102 .814	191-103 .815	191-120 .832
178-1 .8415	N/A	N/A	N/A	N/A
538-1 .8435	N/A	538-102 .8455	N/A	N/A
700-1 .875	700-101 .876	700-102 .877	700-103 .878	700-120 .895
550-1 .9373	N/A	N/A	N/A	N/A

Balls

*All oversized balls on this sheet must be purchased in quantities of 100