



NEEDLE DESIGNS & APPLICATIONS

MANUFACTURER OF CONSTANT VELOCITY DRIVEAXLE COMPONENTS
1500 11TH AVENUE ROCKFORD, ILLINOIS 61104
PHONE (815) 962-1411 FAX (815) 962-4857

**GENUINE
ROCKFORD
CONSTANT VELOCITY**

**176-50N
to
700-50N**

176-50N -NEEDLE BEARING (.078 X .596)

Used in the following Tripod Roller Kits

176-50
716-50
916-50A



440-50CN-NEEDLE BEARING (.078 X .630)

Used in the following Tripod Roller Kits

440-50C
441-50



182-50N -NEEDLE BEARING (.078 X .380)

Used in the following Tripod Roller Kits

182-50
195-50A



440-50N -NEEDLE BEARING (.078 X .733)

Used in the following Tripod Roller Kits

440-50
440-50A
816-50



184-50N -NEEDLE BEARING (.078 X .430)

Used in the following Tripod Roller Kits

184-50
193-50



536-50N -NEEDLE BEARING (.078 X .528)

Used in the following Tripod Roller Kits

164-50
178-50
536-50



211-50N -NEEDLE BEARING (.078 X .458)

Used in the following Tripod Roller Kits

163-50 195-50
196-50 211-50
619-50 625-50A
626-50 715-50B



615-50N -NEEDLE BEARING (.058 X .368)

Used in the following Tripod Roller Kits

615-50



213-50AN-NEEDLE BEARING (.078 X .610)

Used in the following Tripod Roller Kits

213-50A



630-50N -NEEDLE BEARING (.098 X .500)

Used in the following Tripod Roller Kits

627-50
630-50



213-50N -NEEDLE BEARING (.078 X .490)

Used in the following Tripod Roller Kits

174-50
213-50
213-50B
534-50
537-50
625-50



700-50N -NEEDLE BEARING (.062 X .960)

Used in the following Tripod Roller Kits

700-50



Needles

**GENUINE
ROCKFORD
CONSTANT VELOCITY**

**715-50N
to
916-50N**

715-50N -NEEDLE BEARING (.078 X .549)

Used in the following Tripod Roller Kits

176-50A

715-50

715-50A



815-50N -NEEDLE BEARING (.078 X .679)

Used in the following Tripod Roller Kits

815-50



816-50AN-NEEDLE BEARING (.109 X .514)

Used in the following Tripod Roller Kits

816-50A



914-50NA-NEEDLE BEARING (.062 X .490)

Used in the following Tripod Roller Kits

914-50



915-50N -NEEDLE BEARING (.062 X .668)

Used in the following Tripod Roller Kits

915-50



916-50N -NEEDLE BEARING (.062 X .615)

Used in the following Tripod Roller Kits

916-50





















Needles

Needle Information

**GENUINE
ROCKFORD
CONSTANT VELOCITY**

Sorted By Needle Diameter & Length

NEEDLE NO.	SIZE	
615-50N	.058 X .368	
914-50NA	.062 X .490	
916-50N	.062 X .615	
915-50N	.062 X .668	
700-50N	.062 X .960	
182-50N	.078 X .380	
184-50N	.078 X .430	
211-50N	.078 X .458	
213-50N	.078 X .490	
536-50N	.078 X .528	
715-50N	.078 X .549	
176-50N	.078 X .596	
213-50AN	.078 X .610	
440-50CN	.078 X .630	
815-50N	.078 X .679	
440-50N	.078 X .733	
630-50N	.096 X .500	
816-50AN	.109 x .514	

Needles